

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	121	(aaa accounting) and session adj (id identifi\$6) and (load adj balanc\$3) with (server node host)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:02
S2	0	S1 and tunnel\$4 and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:21
S3	717	(aaa accounting) and session adj (id identifi\$6)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23
S4	13	S3 and tunnel\$4 and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23
S5	13	S4 and (load adj balanc\$3 offload\$3 forward\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:22
S6	4	S5 and access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23
S7	145	(aaa accounting radius) and session adj (id identifi\$6) and (load adj balanc\$3) with (server node host)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23
S8	826	(aaa accounting radius) and session adj (id identifi\$6)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23
S9	13	S8 and tunnel\$4 and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23

S10	4	S9 and access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:29
S11	0	S6 not S10	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 19:23
S12	153	(aaa accounting) and session adj (id identifi\$6) and access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:05
S13	69	S12 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:05
S14	8	(aaa accounting) and session adj (id identifi\$6) with access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:05
S15	2	S14 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:05
S16	31	(aaa accounting authentication radius) and session adj (id identifi\$6) with access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:06
S17	9	S16 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:07
S18	24	(aaa accounting authentication radius) and session adj (id identifi\$6) with access adj server and session adj (id identifi\$6) same (establish\$3 connect\$3 open\$3 start\$3 dial\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:47

S19	7	S18 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:47
S20	1	(US-6697806-\$).did.	USPAT	OR	ON	2005/10/01 19:13
S21	1	S20 and network adj device	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:15
S22	1	S20 and network adj device same (isp service adj provider)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:17
S23	1	S20 and network adj device with (server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:18
S24	0	S20 and network adj device with (server) not network adj device with (access adj server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:18
S25	31	(aaa accounting authentication radius) and session adj (id identifi\$6) with access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:49
S26	9	S25 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:49
S27	94	(aaa accounting authentication radius) and session with (id identifi\$6) same access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:51
S28	32	S27 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:55

S29	0	S28 and off adj load	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:49
S30	0	S28 and off\$1load	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:49
S31	94	(aaa accounting authentication radius tacacs) and session with (id identifi\$6) same access adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:55
S32	32662	Cisco IOS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:54
S33	256	Cisco with IOS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:54
S34	41	(Cisco with IOS).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:54
S35	16	S34 not cisco-\$as.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:55
S36	8	S35 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:03
S37	31	(aaa accounting authentication radius tacacs) and session with (id identifi\$6) same access adj server and (vpn virtual adj private private adj network\$3 tunnel\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:11

S38	7	S37 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 19:56
S39	168	S33 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:10
S40	6	S39 and off\$1load	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:06
S41	588042	Offload Server Accounting Enhancement	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:06
S42	0	"Offload Server Accounting Enhancement"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:06
S43	5	"Offload Server" and (Accounting aaa)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:07
S44	46	"Offload Server"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:09
S45	11	S44 and session with (id identifier identification)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:07
S46	60	(tcp ip) with offload\$3 and session adj (id identifier identification)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:10
S47	19	S46 and (@ad<"20010928" @pd<"20010928")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:11

S48	841	Redline Netscaler Crescendo	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:11
S49	324	Redline Netscaler Crescendo and off\$1load	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:11
S50	55	(aaa accounting authentication radius tacacs) and S49	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:11
S51	0	EP1014619	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:40
S52	0	EP-1014619	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 20:40
S53	11	"1014619"	EPO; DERWENT	OR	ON	2005/10/01 21:33
S54	7294	dnis	EPO; DERWENT	OR	ON	2005/10/01 21:33
S55	0	dnis with accounting adj request	EPO; DERWENT	OR	ON	2005/10/01 21:33
S56	0	dnis with accounting adj request	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 21:33
S57	1	dnis same accounting adj request	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 21:33